

D S S 4 0 9

**PLUMB**

*HAMMERS · HATCHETS · AXES · SLEDGES · FILES*

**TOOLS**

**FAYETTE R. PLUMB, Inc.** • *Philadelphia 37, Pa., U.S.A.*



# PLUMB® TOOLS

## NON-BREAKABLE FIBER-GLASS HANDLES MOLDED DURA-CUSHION GRIPS

### SUGGESTED RESALE PRICE SHEET 509R

EFFECTIVE FEBRUARY 2, 1970

#### NAIL HAMMERS

Full Polished — Octagon Face and Neck  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

Catalog Number	Head Weight	Weight Per Box	RESALE EACH	CONSUMER EACH
FA571	20 oz.	7½ lbs.	\$5.07	\$7.59
FA571L	20 oz.	8 lbs.	5.33	7.99
FA57	16 oz.	6½ lbs.	4.87	7.29
FA572	13 oz.	5½ lbs.	4.87	7.29

Full Polished — Bell Face  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FAP7	7 oz.	4 lbs.	4.67	6.99
------	-------	--------	------	------

Polished — Bell Face  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FA20	20 oz.	7½ lbs.	4.40	6.59
FA16	16 oz.	6½ lbs.	4.20	6.29
FA13	13 oz.	5½ lbs.	4.20	6.29

with Milled Checkered Faces

FAX20	20 oz.	7½ lbs.	5.07	7.59
FAX16	16 oz.	6½ lbs.	4.87	7.29

Full Polished — Round Face — Plain Pole  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FA71	20 oz.	7½ lbs.	5.07	7.59
FA72	16 oz.	6½ lbs.	4.87	7.29

Black Finish — Round Face — Plain Pole  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FA71L	20 oz.	7½ lbs.	4.40	6.59
FA72L	16 oz.	6½ lbs.	4.20	6.29

#### RIPPING HAMMERS

Full Polished — Round Face, Octagon Neck  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FA571R	22 oz.	8 lbs.	5.07	7.59
FA57R	16 oz.	6½ lbs.	4.87	7.29

Heavy Duty — Construction Hammers  
Extra Length Handles

FA571RL	22 oz.	9 lbs.	5.33	7.99
---------	--------	--------	------	------

with Milled Checkered Faces

FAX571RL	22 oz.	9 lbs.	6.00	8.99
----------	--------	--------	------	------

Polished — Bell Face  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grip

FA20R	20 oz.	7½ lbs.	4.40	6.59
FA16R	16 oz.	6½ lbs.	4.20	6.29

with Milled Checkered Faces

FAX20R	20 oz.	7½ lbs.	5.07	7.59
--------	--------	---------	------	------

#### BRICK HAMMERS

Full Polished  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

Catalog Number	Head Weight	Weight Per Box	RESALE EACH	CONSUMER EACH
FAB24	24 oz.	8½ lbs.	\$5.27	\$7.89
FAB15	15 oz.	6 lbs.	5.07	7.59

#### PROSPECTING PICK

Full Polished  
Red Fiber-Glass Handle  
Black Molded Dura-Cushion Grip

FA470	16 oz.	6 lbs.	5.27	7.89
-------	--------	--------	------	------

#### BALL PEIN MACHINISTS' HAMMERS

Smooth Black — Polished Poles and Peins  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FAM8	8 oz.	4 lbs.	3.50	5.25
FAM12	12 oz.	5 lbs.	3.67	5.50
FAM16	16 oz.	6½ lbs.	3.83	5.75
FAM20	20 oz.	8 lbs.	4.00	6.00
FAM24	24 oz.	9 lbs.	4.17	6.25
FAM32	32 oz.	11 lbs.	4.33	6.50
FAM40	40 oz.	13 lbs.	4.50	6.75

#### SCALING HAMMER

Black Forged Finish  
Red Fiber-Glass Handle  
Black Molded Dura-Cushion Grip

FAS	16 oz.	6½ lbs.	4.00	5.99
-----	--------	---------	------	------

#### HALF HATCHETS

Full Polished  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FAPH2	3-¾" Bit	8 lbs.	5.87	8.79
-------	----------	--------	------	------

Smooth Black  
Red Fiber-Glass Handles  
Black Molded Dura-Cushion Grips

FAH2	3-5/8" Bit	9 lbs.	4.87	7.29
------	------------	--------	------	------

#### CAR BUILDERS' HATCHET

Smooth Black with Milled Checkered Face  
Red Fiber-Glass Handle  
Black Molded Dura-Cushion Grip

FAXCB	3-1/2" Bit	10 lbs.	5.87	8.79
-------	------------	---------	------	------

FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137

TELEPHONE—215-535-6233

# PLUMB® TOOLS

## NON-BREAKABLE FIBER-GLASS HANDLES MOLDED DURA-CUSHION GRIPS

### NAIL HAMMERS

Full Polished - Octagan Face and Neck  
Non-Breakable Red Fiber-Glass Handles  
Block Molded Duro-Cushian Grips  
Permabond — Keeps Hondles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FA571	20 oz.	23 lbs.
FA571L	20 oz.	25 lbs.
FA57	16 oz.	20 lbs.
FA572	13 oz.	17 lbs.

Full Polished — Bell Face

FAP7	7 oz.	12 lbs.
------	-------	---------

### NAIL HAMMERS

Polished — Bell Face  
Non-Breakable Red Fiber-Glass Hondles  
Block Molded Duro-Cushian Grips  
Permabond — Keeps Handles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FA20	20 oz.	23 lbs.
FA16	16 oz.	20 lbs.
FA13	13 oz.	17 lbs.

with Milled Checkered Faces

FAX20	20 oz.	23 lbs.
FAX16	16 oz.	20 lbs.

### PROSPECTING PICK

Full Polished  
Non-Breakable Red Fiber-Glass Handle  
Block Molded Duro-Cushian Grip  
Permabond — Keeps Handle Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FA470	16 oz.	18 lbs.

### HALF HATCHET

Full Polished  
Non-Breakable Red Fiber-Glass Handle  
Block Molded Duro-Cushian Grip  
Permabond — Keeps Handle Tight



Cat. No.	Bit Size	Packed Wt. per doz.
FAPH2	3 3/8"	24 lbs.

### RIPPING HAMMERS

Full Polished - Round Face, Octagon Neck  
Non-Breakable Red Fiber-Glass Handles  
Black Molded Duro-Cushian Grips  
Permabond — Keeps Hondles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FA571R	22 oz.	25 lbs.
FA57R	16 oz.	20 lbs.

### RIPPING HAMMERS

Polished — Bell Face  
Non-Breakable Red Fiber-Glass Hondles  
Block Molded Duro-Cushian Grips  
Permabond — Keeps Hondles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FA20R	20 oz.	23 lbs.
FA16R	16 oz.	20 lbs.

with Milled Checkered Faces

FAX20R	20 oz.	23 lbs.
--------	--------	---------

### BALL PEIN MACHINISTS' HAMMERS

Smooth Block — Polished Poles and Peins  
Non-Breakable Red Fiber-Glass Hondles  
Block Molded Duro-Cushian Grips  
Permabond — Keeps Hondles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FAM8	8 oz.	12 lbs.
FAM12	12 oz.	16 lbs.
FAM16	16 oz.	20 lbs.
FAM20	20 oz.	24 lbs.
FAM24	24 oz.	28 lbs.
FAM32	32 oz.	34 lbs.
FAM40	40 oz.	40 lbs.

### HALF HATCHET

Smooth Block  
Non-Breakable Red Fiber-Glass Handle  
Block Molded Duro-Cushian Grip  
Permabond — Keeps Handle Tight



Cat. No.	Bit Size	Packed Wt. per doz.
FAH2	3 5/8"	28 lbs.

### Heavy Duty

CONSTRUCTION HAMMERS  
Full Polished - Round Face, Octagon Neck  
Extro Length  
Non-Breakable Red Fiber-Glass Hondles  
Block Molded Duro-Cushian Grips  
Permabond — Keeps Hondles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FA571RL	22 oz.	27 lbs.
FAX571RL	22 oz.	27 lbs.

with Milled Checkered Faces

### BRICK HAMMERS

Full Polished  
Non-Breakable Red Fiber-Glass Hondles  
Block Molded Duro-Cushian Grips  
Permabond — Keeps Hondles Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FAB24	24 oz.	26 lbs.
FAB15	15 oz.	18 lbs.

### SCALING HAMMER


Block Farged Finish  
Non-Breakable Red Fiber-Glass Handle  
Block Molded Duro-Cushian Grip  
Permabond — Keeps Handle Tight



Cat. No.	Head Weight	Packed Wt. per doz.
FAS	16 oz.	20 lbs.

### CAR BUILDERS' HATCHET

Smooth Block — Milled Checkered Face  
Non-Breakable Red Fiber-Glass Handle  
Block Molded Duro-Cushian Grip  
Permabond — Keeps Handle Tight



Cat. No.	Bit Size	Packed Wt. per doz.
FAXCB	3 1/2"	30 lbs.

Packaging — 4 in a shelf box — 24 in shipping carton.

# PLUMB HAMMERS

Plumb Hammers made from Special Analysis Steel give you higher quality. Designed to meet the requirements of master craftsmen, they have perfect balance and accuracy. Plumb Handles are turned from tough springy hickory, tested for strength and designed for maximum comfort.

PERMABOND® is a Revolutionary New Chemical Weld that Binds Head to Handle Permanently.

## "AUTOGRAF" NAIL HAMMERS



Polished Finish  
Octagan Face, Octagan Neck with  
Octagan Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
OAN11.....	1¼ lbs.	22 lbs.
OAN11½.....	1 lb.	18 lbs.
OAN11½L—16" hdle.	1 lb.	19 lbs.
OAN12.....	13 ozs.	16 lbs.

## PLUMB NAIL HAMMERS



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
80.....	1¼ lbs.	22 lbs.
81.....	1 lb.	18 lbs.
82.....	13 ozs.	16 lbs.
83.....	7 ozs.	9 lbs.
<b>Checked Milled Head</b>		
CH80.....	1¼ lbs.	22 lbs.
CH81.....	1 lb.	18 lbs.

## PLUMB LEADER NAIL HAMMERS



Polished Finish Head  
Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
L80.....	1¼ lbs.	22 lbs.
L81.....	1 lb.	18 lbs.
L82.....	13 ozs.	16 lbs.
L83.....	7 ozs.	9 lbs.

## "AUTOGRAF" RIPPING HAMMERS



Polished Finish  
Round Face, Octagan Neck with  
Octagan Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
CR11.....	22 ozs.	22 lbs.
CR11½.....	1 lb.	18 lbs.

## PLUMB RIPPING HAMMERS



Smooth Black Head  
Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
85.....	1¼ lbs.	22 lbs.
86.....	1 lb.	18 lbs.
<b>Checked Milled Face</b>		
CH85.....	1¼ lbs.	22 lbs.

## PLUMB LEADER RIPPING HAMMERS



Polished Finish Head  
Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
L85.....	1¼ lbs.	22 lbs.
L86.....	1 lb.	18 lbs.

## "HOMETHRIFT" NAIL HAMMERS



Ground Black Head—Polished Bell  
Red Select Hickory Handle  
Permabond Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
145.....	1 lb.	19 lbs.
146.....	13 ozs.	16 lbs.
147.....	7 ozs.	9 lbs.

## "HOMETHRIFT" RIPPING HAMMER



Ground Black Head Polished Bell  
Red Select Hickory Handle  
Permabond Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
155.....	1 lb.	18 lbs.

## SERVALL NAIL HAMMERS



Black Forged Finish  
Ivory Lacquered Hickory Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
SN11½.....	1 lb.	18 lbs.
SN13.....	7 ozs.	9 lbs.

## SERVALL RIPPING HAMMER

No.	Head Weight	Weight Per Doz.
SR11½.....	1 lb.	18 lbs.

All the Above Hammers Regularly Packed ½ Dazen to a Box

# PLUMB HAMMERS

Perfectly balanced to give easy and accurate control to the blow. Made of special analysis steel, the heads are the maximum degree of hardness, the eyes are toughened to prevent spreading. Plumb handles are turned from tough springy hickory, tested for strength.

## PLUMB BALL PEIN HAMMERS



Smooth Black Head—Tested Red Handle

No.	Head Weight	Weight Per Doz.
367.....	2 ozs.	3 lbs.
369.....	4 ozs.	4 lbs.
370.....	6 ozs.	7 lbs.
371.....	8 ozs.	10 lbs.
372.....	12 oz.	12 lbs.
373.....	1 lb.	16 lbs.
374.....	1¼ lbs.	20 lbs.
375.....	1½ lbs.	23 lbs.
377.....	2 lbs.	30 lbs.
379.....	2½ lbs.	35 lbs.
381.....	3 lbs.	43 lbs.

## PLUMB LEADER BALL PEIN HAMMERS



Ground Black Head—Red Hickory Handle

No.	Head Weight	Weight Per Doz.
0369.....	4 ozs.	4 lbs.
0370.....	6 ozs.	7 lbs.
0371.....	8 ozs.	10 lbs.
0372.....	12 ozs.	12 lbs.
0373.....	1 lb.	16 lbs.
0374.....	1¼ lbs.	20 lbs.
0375.....	1½ lbs.	23 lbs.
0377.....	2 lbs.	30 lbs.
0379.....	2½ lbs.	35 lbs.

## SERVALL BALL PEIN HAMMERS



Black Forged Finish  
Ivory Lacquered Hickory Handle

No.	Head Weight	Weight Per Doz.
SM3-0.....	8 ozs.	10 lbs.
SM2-0.....	12 ozs.	12 lbs.
SM0.....	1 lb.	16 lbs.
SM1.....	1¼ lbs.	20 lbs.
SM2.....	1½ lbs.	23 lbs.
SM4.....	2 lbs.	30 lbs.

## PLUMB BLACKSMITHS' HAND HAMMERS



Smooth Black Head—Tested Red Handle

No.	Head Weight	Weight Per Doz.
281.....	2 lbs.	28 lbs.
282.....	2½ lbs.	35 lbs.
283.....	3 lbs.	42 lbs.

## PLUMB LEADER BLACKSMITHS' HAND HAMMERS



Ground Black Head  
Red Hickory Handle

No.	Head Weight	Weight Per Doz.
0281.....	2 lbs.	29 lbs.
0282.....	2½ lbs.	36 lbs.
0283.....	3 lbs.	43 lbs.
0284.....	4 lbs.	56 lbs.

## PLUMB DOUBLE FACE ENGINEERS' HAMMERS



Smooth Black Head—Tested Red Handle

No.	Head Weight	Weight Per Doz.
272.....	2½ lbs.	35 lbs.
273.....	3 lbs.	42 lbs.

## PLUMB TINNERS' PANEING HAMMER



Smooth Black Head—Tested Red Handle

No.	Head Weight	Weight Per Doz.
231.....	12 ozs.	15 lbs.

## PLUMB TINNERS' RIVETING HAMMER



Smooth Black Head—Tested Red Handle

No.	Head Weight	Weight Per Doz.
221.....	12 ozs.	14 lbs.

## PLUMB RIVETING HAMMERS



Smooth Black Head—Tested Red Handle

No.	Head Weight	Weight Per Doz.
250.....	4 ozs.	5 lbs.
251.....	7 ozs.	9 lbs.
252.....	9 ozs.	11 lbs.
253.....	12 ozs.	15 lbs.

## PLUMB LEADER SCALING HAMMER



Black Forged Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
3095.....	1 lb.	16 lbs.



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
2580 Standard.....	1½ lbs.	22 lbs.
2581 Lightweight.....	15 ozs.	17 lbs.

## PLUMB PROSPECTING PICK



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Head Weight	Weight Per Doz.
470.....	1 lb.	18 lbs.

All the Above Hammers Regularly Packed ½ Dozen in a Box

## SUGGESTED RESALE PRICE SHEET 125R

EFFECTIVE FEBRUARY 2, 1970

### AUTOGRAF NAIL

Polished Head-Tested Red Handle  
Octagon Face-Octagon Neck  
Octagon Handle

No.	Head Weight	Weight Per Box	RESALE EACH	CONSUMER EACH
OAN11.....	20 oz.	11 lbs.	\$4.07	\$6.09
OAN11½.....	16 oz.	9 lbs.	3.87	5.79
OAN11½L. 16" Hdl.....	16 oz.	9½ lbs.	4.00	5.99
OAN12.....	13 oz.	8 lbs.	3.87	5.79

### AUTOGRAF RIPPING

Polished Head-Tested Red Handle  
Round Face-Octagon Neck  
Octagon Handle

CR11.....	22 oz.	11 lbs.	4.07	6.09
CR11½.....	16 oz.	9 lbs.	3.87	5.79

### PLUMB NAIL—Advertised Finish

Velvet Black Head-Tested Red Handle  
Bell Face Pattern

80.....	20 oz.	11 lbs.	4.00	5.99
81.....	16 oz.	9 lbs.	3.80	5.69
82.....	13 oz.	8 lbs.	3.80	5.69
83.....	7 oz.	4½ lbs.	3.77	5.65

Checkered Milled Face

CH80.....	20 oz.	11 lbs.	4.67	6.99
CH81.....	16 oz.	9 lbs.	4.47	6.69

Plain Face Pattern

70.....	28 oz.	14 lbs.	4.40	6.59
---------	--------	---------	------	------

### PLUMB RIPPING—Advertised Finish

Velvet Black Head-Tested Red Handle  
Bell Face Pattern

85.....	20 oz.	11 lbs.	4.00	5.99
86.....	16 oz.	9 lbs.	3.80	5.69

Checkered Milled Face

CH85.....	20 oz.	11 lbs.	4.67	6.99
-----------	--------	---------	------	------

### PLUMB "LEADER" NAIL

Polished Head-Red Handle  
Bell Face Pattern

No.	Head Weight	Weight Per Box	RESALE EACH	CONSUMER EACH
L80.....	20 oz.	11 lbs.	\$3.53	\$5.29
L81.....	16 oz.	9 lbs.	3.33	4.99
L82.....	13 oz.	8 lbs.	3.33	4.99
L83.....	7 oz.	4½ lbs.	3.30	4.95

Black Head-Red Handle  
Plain Face Pattern

L70.....	28 oz.	14 lbs.	3.80	5.69
----------	--------	---------	------	------

### PLUMB "LEADER" RIPPIN

Polished Head-Red Handle  
Bell Face Pattern

L85.....	20 oz.	11 lbs.	3.53	5.29
L86.....	16 oz.	9 lbs.	3.33	4.99

### "HOMETHRIFT" NAIL

Black Head-Polished Bell-Red Handle  
Bell Face Pattern

145.....	16 oz.	9 lbs.	2.60	3.89
146.....	13 oz.	8 lbs.	2.60	3.89
147.....	7 oz.	4½ lbs.	2.57	3.85

### "HOMETHRIFT" RIPPING

Black Head-Polished Bell-Red Handle  
Bell Face Pattern

155.....	16 oz.	9 lbs.	2.60	3.89
----------	--------	--------	------	------

### "SERVALL" NAIL

Black Forged Head-Ivory Lacquered Handle  
Bell Face Pattern

SN11½.....	16 oz.	9 lbs.	1.67	2.49
SN13.....	7 oz.	4½ lbs.	1.63	2.45

### "SERVALL" RIPPING

Black Forged Head-Ivory Lacquered Handle  
Bell Face Pattern

SR11½.....	16 oz.	9 lbs.	1.67	2.49
------------	--------	--------	------	------

See Reverse Side for Complete Packaging Information.

**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**

TELEPHONE—215-535-6233

## SUGGESTED RESALE PRICE SHEET 125R

EFFECTIVE FEBRUARY 2, 1970

### PLUMB—Advertised Finish

Velvet Black Head-Tested Red Handle

BALL PEIN MACHINIST			RESALE EACH	CONSUMER EACH
No.	Head Weight	Weight Per Box		
367	2 oz.	1½ lbs.	\$2.80	\$4.20
369	4 oz.	2 lbs.	2.80	4.20
370	6 oz.	3½ lbs.	2.80	4.20
371	8 oz.	5 lbs.	2.87	4.30
372	12 oz.	6 lbs.	2.93	4.40
373	16 oz.	8 lbs.	3.13	4.70
374	20 oz.	10 lbs.	3.40	5.10
375	24 oz.	11½ lbs.	3.53	5.30
377	32 oz.	15 lbs.	3.73	5.60
379	40 oz.	17½ lbs.	4.13	6.20
381	48 oz.	21½ lbs.	4.53	6.80

### BLACKSMITH HAND

281	32 oz.	14 lbs.	4.60	6.90
282	40 oz.	17½ lbs.	4.87	7.30
283	48 oz.	21 lbs.	5.13	7.70

### DOUBLE FACE ENGINEERS'

272	40 oz.	17½ lbs.	4.87	7.30
273	48 oz.	21 lbs.	5.13	7.70

### RIVETING

250	4 oz.	2½ lbs.	3.20	4.80
251	7 oz.	4½ lbs.	3.20	4.80
252	9 oz.	5½ lbs.	3.40	5.10
253	12 oz.	7½ lbs.	3.40	5.10

### TINNERS' RIVETING

221	12 oz.	7 lbs.	3.70	5.55
-----	--------	--------	------	------

### TINNERS' PANEING

231	12 oz.	7½ lbs.	3.70	5.55
-----	--------	---------	------	------

### BRICK

2580	24 oz.	11 lbs.	4.00	6.00
2581	15 oz.	8½ lbs.	3.73	5.60

### PROSPECTING PICK

470	16 oz.	9 lbs.	4.20	6.30
-----	--------	--------	------	------

### PLUMB "LEADER"

Black Ground Head- Red Handle

BALL PEIN MACHINIST			RESALE EACH	CONSUMER EACH
No.	Head Weight	Weight Per Box		
0369	4 oz.	2 lbs.	\$2.33	\$3.50
0370	6 oz.	3½ lbs.	2.33	3.50
0371	8 oz.	5 lbs.	2.40	3.60
0372	12 oz.	6 lbs.	2.47	3.70
0373	16 oz.	8 lbs.	2.67	4.00
0374	20 oz.	10 lbs.	2.93	4.40
0375	24 oz.	11½ lbs.	3.07	4.60
0377	32 oz.	15 lbs.	3.27	4.90
0379	40 oz.	17½ lbs.	3.67	5.50

### BLACKSMITH HAND

0281	32 oz.	14½ lbs.	3.87	5.80
0282	40 oz.	18 lbs.	4.13	6.20
0283	48 oz.	21½ lbs.	4.27	6.40
0284	64 oz.	28 lbs.	4.53	6.80

### DOUBLE FACE ENGINEERS'

0272	40 oz.	18 lbs.	3.73	5.60
0273	48 oz.	21½ lbs.	4.20	6.30
0274	64 oz.	28 lbs.	4.53	6.80

### SCALING

3095	16 oz.	8 lbs.	2.80	4.20
------	--------	--------	------	------

### "SERVALL"

Black Forged Head-Ivory Handle

### BALL PEIN MACHINIST

SM3-0	8 oz.	5 lbs.	1.80	2.70
SM2-0	12 oz.	6 lbs.	1.87	2.80
SM0	16 oz.	8 lbs.	2.10	3.15
SM1	20 oz.	10 lbs.	2.23	3.35
SM2	24 oz.	11½ lbs.	2.33	3.50
SM4	32 oz.	15 lbs.	2.53	3.80

## SPECIAL TEMPER MECHANICS' HAMMERS

with Striking Faces Specially Tempered to Permit Redressing on the Job.

### BALL PEIN MACHINIST

S375	24 oz.	11½ lbs.	3.53	5.30
S377	32 oz.	15 lbs.	3.73	5.60

### DOUBLE FACE ENGINEERS'

S272	40 oz.	17½ lbs.	4.87	7.30
S273	48 oz.	21 lbs.	5.13	7.70

## PACKAGING INFORMATION

Plumb Hammers are boxed 6 only in a reshippable shelf package.

**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**

TELEPHONE—215-535-6233



# PLUMB HATCHETS

Electrically controlled furnaces assure you of a cutting edge that stays sharp. Plumb Handles are turned from tough, springy hickory that must pass rigid strength tests before being used. PERMABOND is a Revolutionary New Chemical Weld that Binds Head to Handle Permanently

## "AUTOGRAF" HALF HATCHET



Polished Finish Head  
Flat-Sided Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
AH2	3 3/8"	13 1/2"	23 lbs.

## PLUMB BROAD HATCHETS



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
2991	4"	13 3/4"	25 lbs.
2992	4 1/2"	14 1/2"	30 lbs.

## PLUMB CAR BUILDERS' HATCHETS



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
CB2	3 1/2"	13 1/2"	28 lbs.
Checked Head			
CBX2	3 1/2"	13 1/2"	28 lbs.

## PLUMB BARREL HATCHET



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
635	2 3/8"	12"	17 lbs.

## PLUMB HALF HATCHETS



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
2961	3 1/4"	13"	20 lbs.
2962	3 5/8"	13 1/2"	26 lbs.
Checked Milled Face			
CH2962	3 5/8"	13 1/2"	26 lbs.

## PLUMB CLAW HATCHET



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
2972	4"	14"	29 lbs.


## RIGSTER HATCHET



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
RB2	3 1/2"	18"	30 lbs.

## PLUMB PRODUCE HATCHET



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
3005	2 1/8"	12"	15 lbs.

## PLUMB HALF HATCHET



Polished Finish Head  
Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
530	3 1/8"	13"	20 lbs.

## PLUMB FLOORING HATCHET



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
2985	3 3/4"	13 1/2"	25 lbs.

## PLUMB LATH HATCHET



Smooth Black Head—Tested Red Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
2981	2 1/4"	12 1/2"	18 lbs.

## SERVALL HALF HATCHET



Rough Black Finish  
Ivory Lacquered Hickory Handle  
Permabond—Keeps Handle Tight

No.	Bit	Hdle. Length	Weight Per Doz.
SH2	3 3/8"	13 1/2"	26 lbs.

All the Above Hatchets Regularly Packed 1/3 Dozen to a Box.

# PLUMB HATCHETS AND HAND AXES


These Hatchets are designed to do a specific job. With cutting edges that stay sharp, they are perfectly balanced for easy accurate work.

These light-weight hand axes are easy to use in chopping kindling and cutting stakes. Yet, the heads are sturdy enough to pound and drive. Tempered to withstand numerous sharpenings.

Plumb handles are turned from tough springy hickory, tested for strength and shaped for hand comfort.

PERMABOND is a Revolutionary New Chemical Weld that Binds Head to Handle Permanently

## PLUMB CALIFORNIA LATH HATCHET



Polished Finish, Thin Blade, Checkered Oval Head, Tested Red Handle

No.	Bit Width	Bit Length	Hdle. Length	Weight Per Doz.
3025	2 1/8"	4"	12 1/2"	18 lbs.

## PLUMB BOX HATCHETS



Polished Finish, Checkered Oval Head, Tested Red Handle

No.	Bit Width	Bit Length	Hdle. Length	Weight Per Doz.
2	2 1/8"	2 7/8"	13"	18 lbs.
3	2 1/4"	3 3/4"	16"	24 lbs.
4	2 1/4"	3 3/4"	13"	21 lbs.

## PLUMB WALLBOARD HATCHET



Polished Finish, Tested Red Handle Crowned Face with Flat Checkers

No.	Bit Width	Bit Length	Hdle. Length	Weight Per Doz.
3020	2 1/4"	3 1/2"	13"	21 lbs.

## PLUMB EXPERT SHINGLERS HATCHET




Smaath Black Head—Tested Red Handle With Shingle Gauge and Leather Strap Permabond—Keeps Handle Tight

No.	Gauge Holes	Bit Length	Hdle. Length	Weight Per Doz.
565 1/2	5	2 1/8"	13"	23 lbs.

Extra Gauge for above Hatchet

## PLUMB BELT AXES



Smaath Black Head—Tested Red Handle Permabond—Keeps Handle Tight

No.	Hdle. Length	Weight	Weight Per Doz.
680, without sheath	14"	1 1/4 lbs.	21 lbs.
682, with sheath	14"	1 1/4 lbs.	23 lbs.

## NATIONAL AXE



Black Head with Blade Ground and Polished Fan Shape and Tested Red Handle Permabond—Keeps Handle Tight

No.	Hdle. Length	Weight	Weight Per Doz.
666	19"	1 3/4 lbs.	31 lbs.

## PLUMB HOUSE AXE



Smaath Black Head—Tested Red Handle Permabond—Keeps Handle Tight

No.	Hdle. Length	Weight	Weight Per Doz.
665	19"	2 1/4 lbs.	39 lbs.

## ALL AMERICAN HOUSE AXE



Black Body with Polished Blades Red Select Hickory Handle

No.	Length Hdle.	Weight	Per Doz. Weight
House AA 665	19"	2 1/4 lbs.	39 lbs.

## ALL AMERICAN HUNTERS' AXES



Black Body with Polished Blades Red Select Hickory Handle

No.	Length Hdle.	Weight	Per Doz. Weight
AA 672	14"	1 1/4 lbs.	21 lbs.
AA 674	16"	1 3/4 lbs.	29 lbs.

## NATIONAL BOYS' AXE



Black Head with Blade Ground and Polished Fan Shape and Tested Red Handle Permabond—Keeps Handle Tight

No.	Hdle. Length	Weight	Weight Per Doz.
667	28"	2 1/4 lbs.	42 lbs.

## PLUMB BOYS' AXE



Smaath Black Head Tested Red Handle Permabond—Keeps Handle Tight

No.	Hdle. Length	Weight	Weight Per Doz.
662	28"	2 1/4 lbs.	42 lbs.

## ALL AMERICAN BOYS' AXE



Black Body with Polished Blades Red Select Hickory Handle

No.	Hdle. Length	Weight	Weight Per Doz.
AA 662	28"	2 1/4 lbs.	42 lbs.

Hatchets are packed 4 in shelf box. Belt, House and Hunters' Axes are packed 6 in shelf box. Bays' Axes are packed 2 in the new Plumb Axe "Twin-Pak".

## SUGGESTED RESALE PRICE SHEET 221R

EFFECTIVE FEBRUARY 2, 1970

### PLUMB POLISHED FINISHED HATCHETS

Polished Head—Tested Red Handle

#### AUTOGRAF HALF Flat Sided Handle

No.	Bit Size	Weight Per Box
AH2.....	3 <sup>3</sup> / <sub>8</sub> ".....	7 <sup>1</sup> / <sub>2</sub> lbs.

#### HALF

No.	Bit Size	Weight Per Box
530.....	3 <sup>1</sup> / <sub>8</sub> ".....	6 <sup>1</sup> / <sub>2</sub> lbs.

#### WALLBOARD

No.	Bit Size	Weight Per Box
3020.....	2 <sup>1</sup> / <sub>4</sub> ".....	7 lbs.

#### CALIFORNIA LATHING Thin Blade Oval Head

No.	Bit Size	Weight Per Pkg.	RESALE EACH	CONSUMER EACH
3025.....	2 <sup>1</sup> / <sub>8</sub> ".....	6 lbs.	\$5.73	\$8.59

#### BOX

No.	Bit Size	Blade Length	Hdle. Length	Weight	RESALE EACH	CONSUMER EACH
2...	2 <sup>1</sup> / <sub>8</sub> "	Short	13"	6 lbs.	5.73	8.59
3...	2 <sup>1</sup> / <sub>4</sub> "	Long	16"	8 lbs.	5.73	8.59
4...	2 <sup>1</sup> / <sub>4</sub> "	Long	13"	7 lbs.	5.73	8.59

### PLUMB HATCHETS

Advertised Finish—Velvet Black Head and Tested Red Handle

#### HALF

2961.....	3 <sup>1</sup> / <sub>4</sub> ".....	6 <sup>1</sup> / <sub>2</sub> lbs.	4.53	6.79
2962.....	3 <sup>5</sup> / <sub>8</sub> ".....	8 <sup>1</sup> / <sub>2</sub> lbs.	4.53	6.79

Checked Milled Face

CH2962.....	3 <sup>5</sup> / <sub>8</sub> ".....	8 <sup>1</sup> / <sub>2</sub> lbs.	5.20	7.79
-------------	--------------------------------------	------------------------------------	------	------

#### LATHING

2981.....	2 <sup>1</sup> / <sub>4</sub> ".....	6 lbs.	4.87	7.29
-----------	--------------------------------------	--------	------	------

#### CLAW

2972.....	4".....	9 <sup>1</sup> / <sub>2</sub> lbs.	4.87	7.29
-----------	---------	------------------------------------	------	------

#### BROAD

2991.....	4".....	8 lbs.	5.07	7.59
2992.....	4 <sup>1</sup> / <sub>2</sub> ".....	10 lbs.	5.07	7.59

#### FLOORING

2985.....	3 <sup>3</sup> / <sub>4</sub> ".....	8 lbs.	5.07	7.59
-----------	--------------------------------------	--------	------	------

#### BARREL

635.....	2 <sup>3</sup> / <sub>8</sub> ".....	5 <sup>1</sup> / <sub>2</sub> lbs.	4.87	7.29
----------	--------------------------------------	------------------------------------	------	------

#### "SERVALL" HATCHETS

Rough Forged Head—Ivory Lacquered Handle

#### HALF

SH2.....	3 <sup>5</sup> / <sub>8</sub> ".....	8 <sup>1</sup> / <sub>2</sub> lbs.	3.80	5.69
----------	--------------------------------------	------------------------------------	------	------

#### EXPERT SHINGLER

5 Hole, with Gauge and Strap.

565 <sup>1</sup> / <sub>2</sub> .....	2 <sup>1</sup> / <sub>8</sub> ".....	7 <sup>1</sup> / <sub>2</sub> lbs.	5.73	8.59
---------------------------------------	--------------------------------------	------------------------------------	------	------

#### RIGSTER

RB2.....	3 <sup>1</sup> / <sub>2</sub> ".....	10 lbs.	5.73	8.59
----------	--------------------------------------	---------	------	------

#### CAR BUILDERS'

Plain Face-Octagon Neck

CB2.....	3 <sup>1</sup> / <sub>2</sub> ".....	9 lbs.	4.87	7.29
----------	--------------------------------------	--------	------	------

Checked Milled Face-Octagon Neck

CBX2.....	3 <sup>1</sup> / <sub>2</sub> ".....	9 lbs.	5.53	8.29
-----------	--------------------------------------	--------	------	------

#### HALF

Octagon Neck

2291.....	3 <sup>1</sup> / <sub>2</sub> ".....	9 lbs.	4.87	7.29
-----------	--------------------------------------	--------	------	------

#### PRODUCE

3005.....	2 <sup>1</sup> / <sub>8</sub> ".....	5 lbs.	4.87	7.29
-----------	--------------------------------------	--------	------	------

#### PLUMB ADZES

Black Non-Rusting Finish

#### HALF HEAD CARPENTERS

No.	Cut Inches	Weight	RESALE EACH	CONSUMER EACH
740.....	4.....	4 lbs.	9.33	14.00

### PACKAGING INFORMATION

All Plumb Hatchets are Packed 4 only in a reshippable shelf box.


**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**

TELEPHONE—215-535-6233



*The Real Swingers Prefer*

**PLUMB AXES**



*Beauty!  
Balance!  
Utility!*

are combined in Plumb axes for Eye Appeal •  
Easier and Faster Chopping • Longer Axe Life.

Plumb axes are forged from the highest grade steel. All axes are uniform in weight and pattern. The bits are hardened and tempered for two inches back from the cutting edge to hold long lasting, sharp cutting edges.

The axe handles are made from the finest selected hickory. They are pneumatically driven into the head at the correct angle.


FAYETTE R. PLUMB, INC. PHILADELPHIA, PA. 19137

# PLUMB AXES

PATENTED PERMABOND® ASSEMBLY KEEPS HANDLES TIGHT—Permabond is a red chemical weld used to join heads and handles together permanently. Heads will not loosen or fly off in normal use.

## PLUMB JET WING BEVELED AXES

Full polished head with jet black sharp bevels—red select hickory handles. The most beautiful, serviceable axe ever offered. Beauty—Balance—Utility—are combined to provide extra performance. Permabond Assembled.



Dayton Pattern  
Beveled Axes



CATALOG NUMBER	TYPE	PATTERN	HEAD POUNDS	HANDLE	TWIN-PAK WEIGHT
JD35-C30	Single Bit	Dayton	3.5	30" curved	9 lbs.
JD35-C36	"	"	3.5	36" "	9 lbs.
JD4-C36	"	"	4	" "	10 lbs.
JJ35-C32	"	Jersey	3.5	32" "	9 lbs.
JJ35-C34	"	"	3.5	34" "	9 lbs.
JJ35-C36	"	"	3.5	36" "	9 lbs.
JMS35-C36	"	Michigan	3.5	" "	9 lbs.
JW35-D36	Double Bit	Western	3.5	36" straight	9 lbs.
JW4-D36	"	"	4	" "	10 lbs.



PLUMB CRUISERS' AXES

A light-weight Axe for timber cruisers, foresters and campers.

**Dreadnaught**—Velvet black head and red handle—Permabond Assembled

601	Double Bit Cruisers'	2.5	28" straight	7 lbs.
All American	—Black head—Polished blades			
AA601	Double Bit Cruisers'	2.5	28" straight	7 lbs.


## PLUMB DREADNAUGHT CONSTRUCTORS' AXES



Advertised Finish—velvet black head and red select hickory handle. Designed for mine and highway work. Has broad hardened head to withstand constant pounding. A maul and axe combined in one tool. Permabond Assembled.

DX4-S26	Single Bit Constructors'	4	26" straight	10 lbs.
DX4-S36	"	4	36" "	"
DX5-S26	"	5	26" "	12 lbs.
DX5-S36	"	5	36" "	"

## PLUMB CEDAR AXES



Advertised Finish—velvet black head and red select hickory handle. Lightweight axes with broad cutting edges for felling cedar and other small trees. Permabond Assembled.


602	Single Bit Cedar	3	30" curved	8 lbs.
603	Double Bit Cedar	2.5	28" straight	7 lbs.

## PLUMB DREADNAUGHT AXES

Advertised Finish—velvet black head and red select hickory handle. America's most popular plain-bit axes. Perfectly balanced to bite deep into the wood and free easily. Permabond Assembled.




Single Bit Michigan Pattern  
Plain Bit Axes



CATALOG NUMBER	TYPE	PATTERN	HEAD POUNDS	HANDLE	TWIN-PAK WEIGHT
DD35-C36	Single Bit	Dayton	3.5	36" curved	9 lbs.
DD4-C36	"	"	4	" "	10 lbs.
DD45-C36	"	"	4.5	" "	11 lbs.
DD5-C36	"	"	5	" "	12 lbs.
DJ35-C36	"	Jersey	3.5	" "	9 lbs.
DJ4-C36	"	"	4	" "	10 lbs.
DJ4-S36	"	"	4	36" straight	10 lbs.
DK4-S36	"	Kentucky	4	" "	10 lbs.
DK5-S36	"	"	5	" "	12 lbs.
DMS35-C36	"	Michigan	3.5	36" curved	9 lbs.
DMS4-C36	"	"	4	" "	10 lbs.
DMD35-D36	Double Bit	Michigan	3.5	36" straight	9 lbs.
DMD4-D36	"	"	4	" "	10 lbs.
DR35-D36	"	Cal. Rev.	3.5	" "	9 lbs.
DW35-D36	"	Western	3.5	" "	9 lbs.

## PLUMB ALL AMERICAN AXES



Jersey Pattern

Black body with Polished Blades. Red Hickory Handle.

AD3-C30	Single Bit	Dayton	3	30" curved	8 lbs.
AD3-C36	"	"	3	36" "	8 lbs.
AD35-C30	"	"	3.5	30" "	9 lbs.
AD35-C32	"	"	3.5	32" "	9 lbs.
AD35-C36	"	"	3.5	36" "	9 lbs.
AD35-S36	"	"	3.5	36" straight	9 lbs.
AJ3-C32	"	Jersey	3	32" curved	8 lbs.
AJ3-C36	"	"	3	36" "	8 lbs.
AJ3-S36	"	"	3	36" straight	8 lbs.
AJ35-C32	"	"	3.5	32" curved	9 lbs.
AJ35-C34	"	"	3.5	34" "	9 lbs.
AJ35-C36	"	"	3.5	36" "	9 lbs.
AJ35-S36	"	"	3.5	36" straight	9 lbs.
AK35-C36	"	Kentucky	3.5	36" curved	9 lbs.
AK35-S36	"	"	3.5	36" straight	9 lbs.
AMS3-C32	"	Michigan	3	32" curved	8 lbs.
AMS3-C36	"	"	3	36" "	8 lbs.
AMS35-C32	"	"	3.5	32" "	9 lbs.
AMS35-C34	"	"	3.5	34" "	9 lbs.
AMS35-C36	"	"	3.5	36" "	9 lbs.
AD35-S20	Miners	Dayton	3.5	20" straight	9 lbs.
AD35-S26	"	"	3.5	26" "	9 lbs.
AMD3-D32	Double Bit	Michigan	3	32" straight	8 lbs.
AMD3-D36	"	"	3	36" "	8 lbs.
AMD35-D32	"	"	3.5	32" "	9 lbs.
AMD35-D36	"	"	3.5	36" "	9 lbs.
AS35-D36	"	Swamping	3.5	" "	9 lbs.
AW3-D36	"	Western	3	" "	8 lbs.
AW35-D36	"	"	3.5	" "	9 lbs.

**PACKAGING:** Men's Chopping; Cedar; Constructors'; and Cruisers Axes packed 2 to a corrugated cardboard container or "Twin Pak"

## SUGGESTED RESALE PRICE SHEET 429R

EFFECTIVE FEBRUARY 2, 1970

PACKAGING: Men's Chopping; Boy's; Cedar; Constructors'; and Cruisers Axes  
packed 2 to a corrugated cardboard container or "Twin-Pak"

**JET WING**—Full polished head with jet black sharp bevels—tested red handle. Permabond assembly—Keeps handles tight.

CATALOG NUMBER	TYPE	PATTERN	HEAD POUNDS	HANDLE	RESALE EACH	CONSUMER EACH	TWIN-PAK WEIGHT
JD35-C30	Single Bit	Dayton	3.5	30" curved	<b>\$6.00</b>	<b>\$8.99</b>	9 lbs.
JD35-C36	" "	"	3.5	36" "	"	"	"
JD4-C36	" "	"	4	" "	<b>6.33</b>	9.49	10 lbs.
JJ35-C32	" "	Jersey	3.5	32" "	<b>6.00</b>	<b>8.99</b>	9 lbs.
JJ35-C34	" "	"	3.5	34" "	"	"	"
JJ35-C36	" "	"	3.5	36" "	"	"	"
JMS35-C36	" "	Michigan	3.5	" "	"	"	"
JW35-D36	Double Bit	Western	3.5	36" straight	<b>6.53</b>	9.79	9 lbs.
JW4-D36	" "	"	4	" "	<b>6.87</b>	10.29	10 lbs.

**DREADNAUGHT**—Advertised Finish—velvet black head—tested red handle. Permabond assembly—Keeps handles tight.

DD35-C36	Single Bit	Dayton	3.5	36" curved	<b>5.80</b>	8.69	9 lbs.
DD4-C36	" "	"	4	" "	<b>6.07</b>	9.09	10 lbs.
DD45-C36	" "	"	4.5	" "	<b>6.33</b>	9.49	11 lbs.
DD5-C36	" "	"	5	" "	<b>6.60</b>	9.89	12 lbs.
DJ35-C36	" "	Jersey	3.5	" "	<b>5.30</b>	8.69	9 lbs.
DJ4-C36	" "	"	4	" "	<b>6.07</b>	9.09	10 lbs.
DJ4-S36	" "	"	4	36" straight	"	"	"
DK4-S36	" "	Kentucky	4	" "	"	"	"
DK5-S36	" "	"	5	" "	<b>6.60</b>	9.89	12 lbs.
DMS35-C36	" "	Michigan	3.5	36" curved	<b>5.80</b>	8.69	9 lbs.
DMS4-C36	" "	"	4	" "	<b>6.07</b>	9.09	10 lbs.
DMD35-D36	Double Bit	Michigan	3.5	36" straight	<b>6.33</b>	9.49	9 lbs.
DMD4-D36	" "	"	4	" "	<b>6.60</b>	9.89	10 lbs.
DR35-D36	" "	Cal. Rev.	3.5	" "	<b>6.33</b>	9.49	9 lbs.
DW35-D36	" "	Western	3.5	" "	"	"	"

**ALL AMERICAN**—Black head—Polished blade—selected red handle.

AD3-C30	Single Bit	Dayton	3	30" curved	<b>4.80</b>	7.19	8 lbs.
AD3-C36	" "	"	3	36" "	"	"	"
AD35-C30	" "	"	3.5	30" "	"	"	9 lbs.
AD35-C32	" "	"	3.5	32" "	"	"	"
AD35-C36	" "	"	3.5	36" "	"	"	"
AD35-S36	" "	"	3.5	36" straight	"	"	"
AJ3-C32	" "	Jersey	3	32" curved	"	"	8 lbs.
AJ3-C36	" "	"	3	36" "	"	"	"
AJ3-S36	" "	"	3	36" straight	"	"	"
AJ35-C32	" "	"	3.5	32" curved	"	"	"
AJ35-C34	" "	"	3.5	34" "	"	"	9 lbs.
AJ35-C36	" "	"	3.5	36" "	"	"	"
AJ35-S36	" "	"	3.5	36" straight	"	"	"
AK35-C36	" "	Kentucky	3.5	36" curved	"	"	"
AK35-S36	" "	"	3.5	36" straight	"	"	"
AMS3-C32	" "	Michigan	3	32" curved	"	"	8 lbs.
AMS3-C36	" "	"	3	36" "	"	"	"
AMS35-C32	" "	"	3.5	32" "	"	"	9 lbs.
AMS35-C34	" "	"	3.5	34" "	"	"	"
AMS35-C36	" "	"	3.5	36" "	"	"	"
AD35-S20	Miners	Dayton	3.5	20" straight	"	"	"
AD35-S26	"	"	3.5	26" "	"	"	"
AMD3-D32	Double Bit	Michigan	3	32" straight	<b>5.53</b>	8.29	8 lbs.
AMD3-D36	" "	"	3	36" "	"	"	"
AMD35-D32	" "	"	3.5	32" "	"	"	9 lbs.
AMD35-D36	" "	"	3.5	36" "	"	"	"
AS35-D36	" "	Swamping	3.5	" "	"	"	"
AW3-D36	" "	Western	3	" "	"	"	8 lbs.
AW35-D36	" "	"	3.5	" "	"	"	9 lbs.

See Reverse Side for Special Pattern and Small Axes.

**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**

TELEPHONE—215-535-6233

## SUGGESTED RESALE PRICE SHEET 429R

EFFECTIVE FEBRUARY 2, 1970

	HEAD WEIGHT	RESALE EACH	CONSUMER EACH	TWIN-PAK WEIGHT
<b>BOYS' AXES</b> —See "Packaging" reverse side				
★ 662	Advertised Finish tested red 28" bent handle . . . . .2¼ lbs. . . . .	<b>\$4.67</b>	\$6.99	6 lbs..
★ 667	National tested red 28" bent handle . . . . .2¼ lbs. . . . .	"	"	"
★ AA662	All American selected red 28" bent handle . . . . .2¼ lbs. . . . .	<b>4.00</b>	5.99	6 lbs.
<b>CEDAR</b> —See "Packaging" reverse side				
Velvet black head—Tested red oval handle				
602	Single-Bit 30" bent handle . . . . .3 lbs. . . . .	<b>5.80</b>	8.69	8 lbs.
603	Double-Bit 28" straight handle . . . . .2½ lbs. . . . .	<b>6.33</b>	9.49	7 lbs.
<b>SINGLE BIT CONSTRUCTORS</b> —See "Packaging" reverse side				
Dreadnaught Advertised Finish—Velvet black head—tested red handle				
DX4-S26	. . . . .26" straight handle . . . . .4 lbs. . . . .	<b>8.00</b>	11.99	10 lbs.
DX4-S36	. . . . .36" " " . . . . .4 lbs. . . . .	"	"	"
DX5-S26	. . . . .26" " " . . . . .5 lbs. . . . .	<b>8.33</b>	12.49	12 lbs.
DX5-S36	. . . . .36" " " . . . . .5 lbs. . . . .	"	"	"
<b>DOUBLE BIT CRUISERS</b> —See "Packaging" reverse side				
★ 601	Dreadnaught Advertised Finish Velvet black head and red 28" straight handle . . . . .2½ lbs. . . . .	<b>6.33</b>	9.49	7 lbs.
★ AA601	All American—Black head—Polished blades Selected red 28" straight handle . . . . .2½ lbs. . . . .	<b>5.53</b>	8.29	7 lbs.
<b>CLEARING OR PULASKI</b> —Packed 6 only—Wooden Box				
Combination axe and mattock—Dreadnaught Advertised Finish Velvet black head and tested red 36" straight handle				
604	. . . . .3¾ lbs. . . . .	<b>9.33</b>	13.99	29 lbs.
<b>FIREMAN'S AXE</b> —Packed 6 only—Wooden Box				
FA6	Red body, polished blade and pick, red 36" bent handle . . . . .6 lbs. . . . .	<b>10.00</b>	14.99	42 lbs.
<b>HOUSE AXES</b> —Shelf Box 6 only—Shipping Container 24 only				
★ 665	Advertised Finish tested red 19" bent handle . . . . .2¼ lbs. . . . .	<b>4.67</b>	6.99	18 lbs.
★ AA665	All American selected red 19" bent handle . . . . .2¼ lbs. . . . .	<b>4.00</b>	5.99	18 lbs.
<b>NATIONAL UTILITY AXE</b> —Shelf Box 6 only—Shipping Container 24 only				
Black Head—polished blade—tested red 19" bent handle				
★ 666	. . . . .1¾ lbs. . . . .	<b>4.47</b>	6.69	15 lbs.
<b>BELT AXES</b> —With nail slot—Shelf Box 6 only—Shipping Container 36 only				
Velvet Black Head—tested red 14" bent handle				
□ 680	Without Sheath . . . . .1¼ lbs. . . . .	<b>4.00</b>	5.99	10 lbs.
682	With Sheath . . . . .1¼ lbs. . . . .	<b>4.47</b>	6.69	11 lbs.
<b>ALL AMERICAN HUNTERS' AXES</b> —Shelf Box 6 only—Shipping Container 36 only				
□ AA672	—selected red 14" bent handle . . . . .1¼ lbs. . . . .	<b>3.07</b>	4.59	10 lbs.
★ AA674	" " 16" " " . . . . .1¾ lbs. . . . .	<b>3.53</b>	5.29	14 lbs.
□	Leather Sheaths for These Axes . . . . .	<b>.67</b>	.99	
★	Leather Sheaths for These Axes . . . . .	<b>1.00</b>	1.49	



# Only **PLUMB** Permabond®

## Keeps Sledge Handles Tight Permanently

Permabond is a red-colored chemical weld used in Plumb Tool eyes to join heads and handles together permanently. Permabond eliminates mechanical wedges which weaken handles and provides a moisture-proof seal which prevents handle shrinkage. Thus Permabond minimizes handle breakage and eliminates the danger and annoyance of handle loosening, in normal use.

All Plumb Sledges are forged from high carbon steel. Faces are scientifically hardened and tempered to provide maximum serviceability. The eyes are accurately centered to assure proper balance. Select quality hickory handles are factory fitted and correctly aligned to assure a true blow with maximum striking power.

Plumb Sledges are furnished in the distinctive, nationally advertised and recognized Plumb Finish—Black Non-Rusting Head and high gloss Red lacquered Handle.

Look for *Permabond*®  
An exclusive Plumb Safety-plus Feature

### *Advantages of Permabond® Assembly*



- Seals moisture out—eliminates shrink and swell of wood.

- Wood fibers remain intact with full natural strength. No wedges to cause fiber shear which weakens handle.

All Plumb Sledges are assembled with *Permabond*®



NEVADA DRILL  
SERIES "A"



OREGON DRILL  
SERIES "B"



DOUBLE FACE  
BLACKSMITH  
SERIES "H"



CROSS PEIN  
BLACKSMITH  
SERIES "J"


OVER A CENTURY OF QUALITY — SINCE 1856

FAYETTE R. PLUMB, INC. • PHILADELPHIA 37, PA.

# PLUMB HEAVY GOODS


BLACK NON-RUSTING HEADS AND HIGH GLOSS RED LACQUERED HANDLES

All Plumb Sledges are forged from high carbon steel. Faces are scientifically hardened and tempered to provide maximum serviceability. The eyes are accurately centered to assure proper balance. Select quality hickory handles are factory fitted and correctly aligned to assure a true blow with maximum striking power.




PLUMB NEVADA DRILL HAMMERS

Unhandled		Handled	
Cat. No.	Wt. Lbs.	Cat. No.	Handle Length
*A4	4	*A4H	16"
A6	6	A6H	36"
A8	8	A8H	36"
A10	10	A10H	36"
A12	12	A12H	36"
A16	16	A16H	36"




PLUMB OREGON DRILL HAMMERS

Unhandled		Handled	
Cat. No.	Wt. Lbs.	Cat. No.	Handle Length
B6	6	B6H	36"
B8	8	B8H	36"
B10	10	B10H	36"
B12	12	B12H	36"



PLUMB STONE CUTTERS' HAMMERS

Wt. Lbs.	Handled Cat. No.	Handle Length
2	*E2H	11"
3	*E3H	11"
4	*E4H	11"



PLUMB BLACKSMITHS' HAND HAMMERS

Wt. Lbs.	Handled Cat. No.	Handle Length
2	*G2H	14"
2 1/2	*G2 1/2 H	14"
3	*G3H	14"
4	*G4H	16"

PLUMB WOOD CHOPPERS' WEDGES



Series "T"—Truckee—Round Head

Cat. No.	T4	4 lbs.
"	T5	5 lbs.
"	T6	6 lbs.

Series "V"—Quaker City—Square Head


Cat. No.	V3	3 lbs.
"	V4	4 lbs.
"	V5	5 lbs.
"	V6	6 lbs.

## PACKAGING

All items except those marked with \* packed 4 only in corrugated reshipment container. Items marked \* packed 6 only in corrugated reshipment container. Exception: H20 and H20H packed in bulk.


## PERMABOND KEEPS SLEDGE HANDLES TIGHT

Permabond is a red-colored chemical weld used in Plumb Tool eyes to join heads and handles together permanently. Permabond eliminates mechanical wedges which weaken handles and provides a moisture-proof seal which prevents handle shrinkage. Thus Permabond minimizes handle breakage and eliminates the danger and annoyance of handle loosening, in normal use.




PLUMB DOUBLE FACE BLACKSMITH SLEDGES

Unhandled		Handled	
Cat. No.	Wt. Lbs.	Cat. No.	Handle Length
	2 1/2	*H2 1/2 H	14"
	3	*H3H	14"
*H4	4	*H4H	16"
	4	*H4HL	30"
H6	6	H6H	36"
H8	8	H8H	36"
H10	10	H10H	36"
H12	12	H12H	36"
H16	16	H16H	36"
H20	20	H20H	36"




PLUMB CROSS PEIN BLACKSMITH SLEDGES

Unhandled		Handled	
Cat. No.	Wt. Lbs.	Cat. No.	Handle Length
J6	6	J6H	36"
J8	8	J8H	36"
J10	10	J10H	36"
J12	12	J12H	36"



PLUMB STRAIGHT PEIN BLACKSMITH SLEDGES

Unhandled		Handled	
Cat. No.	Wt. Lbs.	Cat. No.	Handle Length
K12	12	K12H	36"
K14	14	K14H	36"



PLUMB STONE OVAL FACE SLEDGES

Unhandled		Handled	
Cat. No.	Wt. Lbs.	Cat. No.	Handle Length
L8	8	L8H	36"
L12	12	L12H	36"



PLUMB OREGON WOOD CHOPPERS MAULS OVAL EYE

Wt. Lbs.	Handled Cat. No.	Handle Length
6	M6H	36"
8	M8H	36"



PLUMB ADZE Half Head Carpenters Pattern

Black Non-Rusting Finish. Made of special analysis steel double tempered to give a keen cutting edge and sturdy driving head. Used to square lumber.

Cat. No.	740	Width of Cut	4"
----------	-----	--------------	----

Packed in Bulk

# PLUMB.

## HEAVY HAMMERS • SLEDGES MAULS • WEDGES

### SUGGESTED RESALE PRICE SHEET 323R

EFFECTIVE FEBRUARY 2, 1970

### HEAVY HAMMERS

Advertised Finish—Black Head and Red Handle

CATALOG NUMBER	TYPE	HEAD POUNDS	HANDLE LENGTH	RESALE EACH	CONSUMER EACH	PACKED TO BOX	SHIPPING WEIGHT
A4	Nevada Drill	4	(Unhandled)	\$3.60	\$5.40	6 each	24 lbs.
A6	" "	6	"	4.33	6.50	4 "	24 lbs.
A8	" "	8	"	4.80	7.20	4 "	32 lbs.
A10	" "	10	"	6.00	9.00	4 "	40 lbs.
A12	" "	12	"	7.00	10.50	4 "	48 lbs.
A16	" "	16	"	9.40	14.10	4 "	64 lbs.
A4H	" "	4	16"	4.53	6.80	6 "	27 lbs.
A6H	" "	6	36"	6.67	10.00	4 "	28 lbs.
A8H	" "	8	36"	7.13	10.70	4 "	36 lbs.
A10H	" "	10	36"	8.33	12.50	4 "	44 lbs.
A12H	" "	12	36"	9.33	14.00	4 "	52 lbs.
A16H	" "	16	36"	11.73	17.60	4 "	68 lbs.
B6	Oregon Drill	6	(Unhandled)	4.33	6.50	4 each	24 lbs.
B8	" "	8	"	4.80	7.20	4 "	32 lbs.
B10	" "	10	"	6.00	9.00	4 "	40 lbs.
B12	" "	12	"	7.00	10.50	4 "	48 lbs.
B6H	" "	6	36"	6.67	10.00	4 "	27 lbs.
B8H	" "	8	36"	7.13	10.70	4 "	36 lbs.
B10H	" "	10	36"	8.33	12.50	4 "	44 lbs.
B12H	" "	12	36"	9.33	14.00	4 "	52 lbs.
E2H	Hand Drilling	2	11"	4.27	6.40	6 each	15 lbs.
E3H	" "	3	11"	4.40	6.60	6 "	21 lbs.
E4H	" "	4	11"	4.60	6.90	6 "	27 lbs.
0281 (G2H)	Blacksmiths' Hand	2	14"	3.87	5.80	6 each	15 lbs.
0282 (G2½H)	" "	2½	14"	4.13	6.20	6 "	18 lbs.
0283 (G3H)	" "	3	14"	4.27	6.40	6 "	21 lbs.
0284 (G4H)	" "	4	16"	4.53	6.80	6 "	27 lbs.

### SLEDGES

Advertised Finish—Black Head and Red Handle

H4	Double Face Blacksmith	4	(Unhandled)	3.60	5.40	6 each	24 lbs.
H6	" " "	6	"	4.33	6.50	4 "	24 lbs.
H8	" " "	8	"	4.80	7.20	4 "	32 lbs.
H10	" " "	10	"	6.00	9.00	4 "	40 lbs.
H12	" " "	12	"	7.00	10.50	4 "	48 lbs.
H16	" " "	16	"	9.40	14.10	4 "	64 lbs.
H20	" " "	20	"	12.66	19.00	Bulk	20 lbs.
0272 (H2½H)	" " "	2½	14"	3.73	5.60	6 "	18 lbs.
0273 (H3H)	" " "	3	14"	4.20	6.30	6 "	21 lbs.
0274 (H4H)	" " "	4	16"	4.53	6.80	6 "	27 lbs.
H4HL	" " "	4	30"	5.80	8.70	6 "	28 lbs.
H6H	" " "	6	36"	6.67	10.00	4 "	28 lbs.
H8H	" " "	8	36"	7.13	10.70	4 "	36 lbs.
H10H	" " "	10	36"	8.33	12.50	4 "	44 lbs.
H12H	" " "	12	36"	9.33	14.00	4 "	52 lbs.
H16H	" " "	16	36"	11.73	17.60	4 "	68 lbs.
H20H	" " "	20	36"	15.00	22.50	Bulk	20 lbs.

See Reverse Side for Additional Sledges, Mauls, and Wedges

**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**  
TELEPHONE—215-535-6233

# PLUMB.

## HEAVY HAMMERS • SLEDGES MAULS • WEDGES

### SUGGESTED RESALE PRICE SHEET 323R

EFFECTIVE FEBRUARY 2, 1970

#### SLEDGES

Advertised Finish—Black Head and Red Handle

CATALOG NUMBER	TYPE	HEAD POUNDS	HANDLE LENGTH	RESALE EACH	CONSUMER EACH	PACKED TO BOX	SHIPPING WEIGHT
J6	Cross Pein Blacksmith	6	(Unhandled)	<b>\$4.53</b>	\$6.80	4 each	24 lbs.
J8	" " "	8	"	<b>5.00</b>	7.50	4 "	32 lbs.
J10	" " "	10	"	<b>6.20</b>	9.30	4 "	40 lbs.
J12	" " "	12	"	<b>7.20</b>	10.80	4 "	48 lbs.
J6H	" " "	6	36"	<b>6.86</b>	10.30	4 "	28 lbs.
J8H	" " "	8	36"	<b>7.33</b>	11.00	4 "	36 lbs.
J10H	" " "	10	36"	<b>8.53</b>	12.80	4 "	44 lbs.
J12H	" " "	12	36"	<b>9.53</b>	14.30	4 "	52 lbs.
K12	Straight Pein Blacksmith	12	(Unhandled)	<b>8.26</b>	12.40	4 each	48 lbs.
K14	" " "	14	"	<b>9.46</b>	14.20	4 "	56 lbs.
K12H	" " "	12	36"	<b>10.60</b>	15.90	4 "	52 lbs.
K14H	" " "	14	36"	<b>11.80</b>	17.70	4 "	60 lbs.
L8	Stone	8	(Unhandled)	<b>6.27</b>	9.40	4 each	32 lbs.
L12	"	12	"	<b>8.46</b>	12.70	4 "	48 lbs.
L8H	"	8	36"	<b>8.60</b>	12.90	4 "	36 lbs.
L12H	"	12	36"	<b>10.80</b>	16.20	4 "	52 lbs.

#### MAULS

Advertised Finish—Black Head and Red Handle

M6H	Woodchoppers	6	36"	<b>7.33</b>	11.00	4 each	28 lbs.
M8H	"	8	36"	<b>8.20</b>	12.30	4 "	36 lbs.

#### WEDGES

Non-Rusting Black Finish

T4	Truckee	4	(Unhandled)	<b>2.40</b>	3.60	6 each	24 lbs.
T5	"	5	"	<b>2.47</b>	3.70	6 "	30 lbs.
T6	"	6	"	<b>2.87</b>	4.30	6 "	36 lbs.
V3	Square Head	3	"	<b>1.87</b>	2.80	6 each	18 lbs.
V4	" "	4	"	<b>2.07</b>	3.10	6 "	24 lbs.
V5	" "	5	"	<b>2.27</b>	3.40	6 "	30 lbs.
V6	" "	6	"	<b>2.60</b>	3.90	6 "	36 lbs.

**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**

TELEPHONE—215-535-6233

# PLUMB.

## REHANDLING KITS

### SUGGESTED RESALE PRICE SHEET 8R

EFFECTIVE APRIL 28, 1969

#### *An Easy Way to Rehandle Plumb Tools*

Plumb Replacement Handles complete with Hardwood Wedge, Metal Cross Wedge and complete instructions to make rehandling easy. An extra service to all Plumb Tool owners. Handles that fit and of the same high quality as in the original Plumb Tool.

When ordering Rehandling Kits Specify as follows:

Rehandling Kit Number	Fits Plumb Catalog Number	Weight Per Box	Resale Each	Consumer Each
KOAN11	OAN11 and CR11 (Octagon Handle).....	6 lbs.	\$1.00	\$1.50
KOAN11½	OAN11½ and CR11½ (Octagon Handle).....	6 lbs.	1.00	1.50
KOAN11½L	OAN11½L (16" Octagon Handle).....	6 lbs.	1.07	1.60
KOAN12	OAN12 (Octagon Handle).....	6 lbs.	\$1.00	\$1.50
K70	70 and L70.....	6 lbs.	.97	1.45
K80	80, CH80, L80, 85, CH85, and L85.....	6 lbs.	.97	1.45
K81	81, CH81, L81, 85, L86, and 3095.....	6 lbs.	.97	1.45
K82	82, L82, 470, and 2581.....	6 lbs.	.97	1.45
K83	83 and L83.....	6 lbs.	.97	1.45
K250	250, 369, 0369, 370 and 0370.....	5 lbs.	.97	1.45
K251	251 and 252.....	5 lbs.	.97	1.45
K281	281, 282, 283, 272, 273, 0281, 0282, 0283, 0272 & 0273	6 lbs.	.97	1.45
K367	367.....	3 lbs.	.97	1.45
K371	371, 0371, 372 and 0372.....	4 lbs.	.97	1.45
K373	373, 0373, 374, 0374, 221, 231 and 253.....	4 lbs.	.97	1.45
K375	375 and 0375.....	6 lbs.	.97	1.45
K377	377, 0377, 379 and 0379.....	7 lbs.	.97	1.45
K381	381.....	7 lbs.	.97	1.45
K2580	2580.....	6 lbs.	.97	1.45
KAH2	AH2 (Flat Sided Handle).....	6 lbs.	1.00	1.50
K2961	2961, 2981 and 530.....	6 lbs.	.97	1.45
K2962	2962, CH2962, 2972, CB2, CBX2, 2985, 2991 and 2991	6 lbs.	.97	1.45
K635	635 and 3005.....	6 lbs.	.97	1.45
K2992	2992.....	6 lbs.	1.00	1.50
KRB2	RB2 (Double Grip).....	8 lbs.	1.33	2.00
K563	Box 3.....	7 lbs.	1.13	1.70
K565	565½, 3020, 3025, Box 2 and 4.....	6 lbs.	1.07	1.60

Rehandling Kits Packed 12 only in a box.

**FAYETTE R. PLUMB, INC.—PHILADELPHIA, PA. 19137**



